



# Stonecrete





A traditional skilled method of in-situ concrete rendition, the VYARA Stonecrete offers fine exposed-aggregate textures for walls and floors. Applied in about 7 to 10 mm thickness for walls and 15 to 20 mm for floors, these natural, versatile and durable textures beautify and fortify the surfaces on which they are applied.

INDEX	Page
Stonecrete for walls	3
Pebblewash floors	7
FormTex - Exposed RCC wall Finish	13
Application ideas	15
Novasol - Resin bound floors	17
Chips and Pebbles	20



## Stonecrete for walls



### Hydrophobic

The Stonecrete textures provided by VYARA are polymerised and hydrophobic, which means the finishes are water repellent and durable. This property enhances the life and structural integrity of the surface on which it is applied.


### Efflorescence resistant

Owing to the special integral additives and the optional top coat of water-based acrylic sealants, the VYARA Stonecrete is efflorescence resistant.

This PremierShield protection greatly enhances the look of the wall finish without risks of yellowing or fading, provides a sheen and ensures longer life of the wall finish. In this way, the patchiness and salt blooming commonly seen in other concrete renditions is largely avoided.



## Stonecrete for walls



### Wide options with best quality

Vyara can offer more than 80 colour shades in its products. We use pigments of the finest and most reliable quality to ensure that there are no surprises on final application of product. This also enables consistent reproduction of colour mixes even at later dates.

### Exotic and unusual ingredients available for special effects

Vyara offers the largest range of rare materials such as mother-of-pearl, glass, pebbles, stone chips from all over India and abroad, as exotic aggregates for value added effects for your walls.


## Pebblewash for floors

Stonecrete textures are applied on vertical as well as horizontal surfaces. The Pebblewash series is created by additionally fortifying the Stonecrete material by taking into consideration the demands of the floor applications. Its in-situ application helps take care of residual spaces and gives a seamless finish.





## Pebblewash for floors



Pebblewash textures are recommended for pedestrian application and only for occasional light vehicular traffic.

It goes without saying that for floor applications extremely high quality of the material and application quality as well as the construction of a perfect base are imperative.

For flooring needs special care is taken to ensure important characteristics like adhesion, cleanability and efflorescence resistance to the material supplied, which perceptibly improves performance characteristics vis-a-vis the competition.

Minimum Longitudinal falls of 1% and Cross falls of 2-3% are recommended.

# PremierShield Protection


PremierShield is a premium, integral and optional topcoat treatment system for concrete materials offered by VYARA, for the protection of your valuable investments.

VYARA Stonecrete is integrally PremierShield protected as a standard, which imparts hydrophobic and efflorescence resistant qualities.

This means that your textured surfaces will be protected from water damage for a long time, and keep looking fresh for many years.

## Key features of PremierShield® are as follows:

- Water and Oil repellence
- Colour Enhancement
- Satin finish and shine
- Good Stain resistance
- Prevents algae and moss formation
- Improved cleanability for surface
- Efflorescence resistance
- UV Stable and Non Yellowing
- Non Hazardous during application and use
- Film forming yet breathable
- Environment friendly
- Solvent free and hence non carcinogenic



# Stonecrete/Pebblewash



S4(N)



S5(N)



S6(N)



S7(P)



S8(P)



S9(P)



S10(N)




S11(G)



S12(N)



S13(N)



S14(N)



S15(N)




S16(G)




S17(G)




S18(G)



S19(G)



S20(G)



S21(G)

The Stonecrete offered by Vyara is available in over 80 colour options with unusual and exotic aggregates.


## FormTex- RCC finish texture for walls



FT1



FT2



FT3



FT4



FT5



FT6



FT7



FT8



FT9

The FormTex finish for walls replicates the exposed RCC looks. This finish can be created on any plastered wall. Offered in many colour options, FormTex lends an understated but definite elegance to the walls and the spaces.




FormTex is also a very good option to repair some previous finish that may have gone wrong. Further repair or refurbishment in future years is as simple as a paint job.

- Quickly possible to apply
- Economical
- Long Lasting
- Possible to repair





# Application Ideas



Experienced applicators are provided by VYARA



## Novasol - Resin bound floors

Novasol floors are cast on site resin bound aggregate floors from VYARA. With stunning looks and excellent water draining characteristics, these are strong and flexible which allows them to be cast in large seamless panels. Novasol floors are applied on site by approved applicators.

Novasol is suitable for pedestrian usage and light vehicular traffic, and ideal for use on swimming pool decks, garden walkways, terraces etc.

Novasol floors have certain unique beneficial characteristics as follows:

### **Immediate Drainage:**

Floors drain quickly with a flow range between 30 to 70 litres per second per square metre. As a result, if the base drainage is proper, there are never any puddles and always a dry surface is available to walk on.

### **Bespoke Floorings:**

Aesthetically pleasing bespoke flooring can be made in patterns and combinations required, ensuring unique floor surface for your projects.

### **Good heat reflectance:**

The system has good heat reflectance and the trapped air between aggregates ensures good thermal insulation, making it an ideal covering for waterproofed terraces and podiums.

### **UV Resistant :**

Novasol is offered only in the UV resistant variety as a standard, thereby ensuring that there will be no yellowing, ageing or softening of the floor under years of exposure to sunlight.

### **Quick Laying:**

The flooring system enables quick laying and the floor is open to foot traffic in 24 hours after laying. Full cure can happen over one week.

### **Good skid resistance:**

The Novasol System offers good skid resistance and so enhanced comfort during walking

### **Low maintenance:**

Very low maintenance is required and Novasol floors can be typically cleaned by water hosing, and if required, gentle scrubbing.

### **Recommended thickness:**

10 mm for pedestrian areas and upto 15-20 mm for areas subjected to light vehicular traffic.

The Novasol floors can be laid on existing stone, tile, asphalt or concrete flooring.

## Novasol - Resin bound floors



Novasol resin bound floors can be cast in most of the aggregates and impart a permanent or semi-permanent wet look to the aggregates. The resin itself is almost invisible, and only the aggregates themselves remain visible and bound. For the system to work well, aggregates are required to be washed and dried.

Ideal for GeoCellular Grid flooring, Podiums, Terraces, Pool decks, Gardens Patios etc.

## Crushed Stone chips



A wide array of natural chips, pebbles and recycled glass aggregates are available from VYARA. The colour of the chips will look slightly darker when wet and lighter when dry, owing to water absorbency of the material. Properly cleaned, size sorted and bag packed chips and pebbles are provided.

As a standard, chips are packed in 25 Kg bags. Other packs may be possible on request.

Sizes available : 0-3 mm, 3-8 mm, 8-15mm, 15-25mm

## Pebbles and Recycled Glass



P1



P2



P3



P4




P5



P6



P7



G1




G2



G3



G4



G5

Natural and tumbled pebbles in different sizes and crushed recycled glass aggregates make for excellent adornments for landscape or interior needs. For recycled glass, the colour availability tends to vary over time.

Wet (darker) and dry (lighter) tones of the same material are indicated in the pictures above.

As a standard, pebbles and recycled glass are packed in 25kg bags. Other packs may be possible on request.

## Other product range

Please refer to our other brochures for these ranges of products

### Paving Blocks

VYARA offers arguably the finest range of pavers, flags, kerbstones, drain covers, and the like, for all external road and pavement needs —whether it is to complement a finely landscaped project or to handle the brutal loads of a container yard.



HSF Paving



Modular Paving



EcoPave




Cobbles




Flagstones

### Kerbstones


An extremely evolved range of vacuum wet pressed Kerbstones, accessories and drainage solutions of international quality are on offer for a host of applications.



Road Kerbs



Accessory Kerbs




Drainage solutions

### Passagio

A range of exclusive tiles for exteriors, characterised by innovative design, texture and colour options with high strength and consistency in quality.




Chequered Tiles



Granamexx Tiles



Shotblasted Tiles




Pebblino Tiles

### Terrazzo

A bespoke range of concrete terrazzo tiles and in-situ screeds, crafted with exceptional care and craft, using innovative blend of colours, aggregates, patterns, and textures.



In Situ Terrazzo



Terrazzo Tiles



Industrial/ Terrace Tiles



Galicha Tiles (Motivo)



[www.vyاراتiles.in](http://www.vyاراتiles.in)

Surat Office (HO): Vyara Tiles Pvt. Ltd.  
S-1, Shankheshwar Complex,  
Kailash Nagar, Sagram pura,  
Surat- 395002  
Ph: 0261-2472444, 09327447469  
E-mail: [info@vyاراتiles.in](mailto:info@vyاراتiles.in)

Ahmedabad Office: Vyara Tiles  
A-8, Anand Complex, 3rd Floor,  
Nr. Sola Bridge, SG Highway,  
Ahmedabad- 380054  
Ph: 079-27400767, 09374034284  
E-mail: [ahmedabad@vyاراتiles.in](mailto:ahmedabad@vyاراتiles.in)

Bharuch Office: Vyara Tiles  
FF2, RK Avenue Nr. Abhinav Complex  
Zadeshwar Crossing to Shukltirth Road,  
Bharuch, Gujarat 392011  
Ph: 09375568855  
E-mail: [bharuch@vyاراتiles.in](mailto:bharuch@vyاراتiles.in)

Mumbai Office: Vyara Tiles  
61, Discovery Complex, Nr. Tata SSL  
Dattapadda Road, Borivali (E),  
Mumbai- 400066  
Ph: 022-28544404, 09322285672  
E-mail: [mumbai@vyاراتiles.in](mailto:mumbai@vyاراتiles.in)

Vadodara Office: Vyara Tiles  
15, Silver Coin Complex,  
Nr. Shrenik Park Char Rasta, Akota  
Vadodara- 390020  
Ph: 09374001415, 09376979755  
E-mail: [vadodara@vyاراتiles.in](mailto:vadodara@vyاراتiles.in)

Pavers | Flagstones | Cobbles | Kerbstones | Tiles

